



版本 REV.	日期 DATE	ECN NO.	变更内容 DESCRIPTION	制图 DRAWN



SEC:A-A

SEC:B-B








SPECIFICATIONS

- Current Rating: 7A AC, DC
- Voltage Rating: 250V AC, DC
- Temperatuer Range: $-25^{\circ}\text{C} \sim +85^{\circ}\text{C}$
- Contact Resistance: $20\text{m}\Omega$ Max
- Insulation Resistance: $1000\text{M}\Omega$ Min
- Withstanding Voltang: 1500V AC/minute
- Material:Phosphoric bronze Tin-plated
- Applicable Wire Sizes:AWG#18~22#

GENERAL TOLERANCE		制图 Mapping	张迎春 2022、09、19	料号 PART NO.	A1000-800-01-T	版本 REV.	A
X.±0.25	X.°±2°	审核 Audit	钱岳生 2022、09、19	品名 TITLE	TJC1端子	页次 SHEET	1/1
.X±0.25	.X°±1°	核准 Approved	张名 2022、09、20	客户料号 CUTM. NO.		 乐清市宏一电子有限公司 YueQing HongYi Electronics Co., Ltd	
.XX±0.15	.XX°±0.5°	单位 Units	mm	比例 SCALE			
.XXX±0.10	.XXX°±0.5°						

版本 REV.	日期 DATE	ECN NO.	变更内容 DESCRIPTION	制图 DRAWN








PIN	尺寸 (mm)	
	A	B
-01Y	---	8.00
-02Y	10.00	16.00
-03Y	18.00	24.00
-04Y	26.00	32.00
-05Y	34.00	40.00
-06Y	42.00	48.00

SPECIFICATIONS

- Current Rating: 7A AC, DC
- Voltage Rating: 250V AC, DC
- Temperatuer Range: -25℃~+85℃
- Contact Resistance: 20mΩ Max
- Insulation Resistance: 1000MΩ Min
- Withstanding Voltang: 1500V AC/minute
- Material: PA66, UL94V-0

GENERL TOLERANCE		制图 Mapping	张迎春 2022、09、19	料号 PART NO.	A1000-800-01-nY	版本 REV.	A
X.±0.25	X.°±2°	审核 Audit	钱岳生 2022、09、19	品名 TITLE	TJC1孔座	页次 SHEET	1/1
.XX±0.15	.XX°±0.5°	核准 Approved	张名 2022、09、20	客户料号 CUTM. NO.		 乐清市宏一电子有限公司 YueQing HongYi Electronics Co., Ltd	
.XXX±0.10	.XXX°±0.5°	单位 Units	mm	比例 SCALE			

版本 REV.	日期 DATE	ECN NO.	变更内容 DESCRIPTION	制图 DRAWN



PIN	尺寸 (mm)	
	A	B
-01A	---	10.00
-02A	10.00	18.00
-03A	18.00	26.00
-04A	26.00	34.00
-05A	34.00	42.00
-06A	42.00	50.00

SPECIFICATIONS

- Current Rating: 7A AC, DC
- Voltage Rating: 250V AC, DC
- Temperatuer Range: -25℃~+85℃
- Contact Resistance: 10mΩ Max
- Insulation Resistance: 1000MΩ Min
- Withstanding Voltang: 1500V AC/minute
- Material:Wafer PA66, UL94V-0
PIN Brass Tin-plated

GENERL TOLERANCE		制图 Mapping	张迎春 2022、09、19	料号 PART NO.	A1000-800-01-nA	版本 REV.	A
X.±0.25	X.°±2°	审核 Audit	钱岳生 2022、09、19	品名 TITLE	TJC1直针 WAFER DIP TYPE	页次 SHEET	1/1
.XX±0.15	.XX°±0.5°	核准 Approved	张名 2022、09、20	客户料号 CUTM. NO.		 乐清市宏一电子有限公司 YueQing HongYi Electronics Co., Ltd	
.XXX±0.10	.XXX°±0.5°	单位 Units	mm	比例 SCALE			